

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Errors
1	BRS	2038	mems with sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:33		0
2	BRS	159	mems with sensor and sensor with stress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:56		0
3	BRS	0	mems with sensor and sensor with stress\$6 and sensor with silicon with amorphous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 15:17		0
4	BRS	83	mems with sensor and sensor with stress\$6 and sensor with silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 15:22		0
5	BRS	21	mems with sensor and flexible with conduct\$7 with substrate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 15:30		0
6	BRS	1	mems with sensor and sensor with stress\$6 and molybdenum with chromium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:42		0
7	BRS	43	mems with sensor and sensor with stress\$6 and deformat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:43		0
8	BRS	3	mems with sensor and sensor with stress\$6 and deformat\$6 with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:44		0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Errors
9	BRS	0	mems with sensor and sensor with stress\$6 and mim near capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:49		0
10	BRS	3	mems with sensor and mim near capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 20:03		0
11	IS&R	2	("5848685").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 20:03		0
12	BRS	19	5848685.URPN.	IBM_TDB USPAT	2004/05/07 20:04		0
13	BRS	13	("3842189" "3952404" "4189342" "5613861" "5665648" "5848685" "5914218" "5944537" "5979892" "6184065" "6184699" "6213789" "6290510").PN.	USPAT	2004/05/07 20:11		0
14	BRS	9	mems and sensor with coat\$6 with conduct\$6 and stress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:02		0
15	BRS	7	mems and sensor with conduct\$6 with stress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:04		0
16	BRS	3	mems and sensor with releas\$6 with stress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:09		0
17	BRS	1	mems and sensor with releas\$6 with stress\$6 deform\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:10		0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error
18	BRS	786	mems with sensor and (releas\$6 or spring) with (releas\$6 or deform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:12		0
19	BRS	234	mems and sensor with coat\$6 and (releas\$6 or spring) with (releas\$6 or deform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:13		0
20	BRS	28	mems and sensor with coat\$6 with (conduct\$6 or metal) and (releas\$6 or spring) with (releas\$6 or deform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:10		0
21	BRS	0	sensor with coat\$6 with (conduct\$6 or metal) and mems with (releas\$6 or spring or deform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:11		0
22	BRS	62	sensor with (conduct\$6 or metal) and mems with (releas\$6 or spring or deform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:28		0
23	BRS	553	mems and sensor with (releas\$6 or spring or deform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:29		0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error	Errors
24	BRS	92	mems with sensor with (releas\$6 or spring or deform\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:29			0
25	BRS	27	mems with sensor with (releas\$6 or spring or deform\$6) and sensor with (metal or conduct\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:32			0
26	BRS	2	mems and release near (layer or film) and sensor with spring and sensor with (metal or conduct\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:36			0
27	BRS	7	mems and release near (layer or film) and sensor with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 13:20			0
28	IS&R	1	("6734425").PN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:23			0
29	IS&R	2	("6396677").PN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:23			0
30	BRS	579	mems with sensor and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:33			0
31	BRS	54	mems with sensor and spring and gallium adj arsenide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:34			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error	Errors
32	BRS	4	mems with sensor and spring and gallium adj arsenide and amorphous adj silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:35			0
33	BRS	16	mems and sensor and spring and gallium adj arsenide and amorphous adj silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:35			0
34	BRS	0	mems and sensor and spring and gallium adj arsenide and hydrogen\$6 with amorphous adj silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:36			0
35	BRS	20	mems and sensor and hydrogen\$6 with amorphous adj silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:36			0
36	BRS	0	mems and sensor with hydrogen\$6 with amorphous adj silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:37			0
37	BRS	2	mems and sensor same hydrogen\$6 with amorphous adj silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:40			0
38	BRS	0	mems and sensor near gallium adj arsenide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:40			0
39	BRS	0	mems and sensor near3 gallium adj arsenide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:40			0
40	BRS	16	mems and sensor with gallium adj arsenide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:49			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Ratio
41	BRS	93	mems and sensor with laser with	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 23:50		0
42	BRS	8	MEMS and sensor with laser with array with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:53		0
43	BRS	8	MEMS and sensor and laser with array with edge with emit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 23:54		0